

NINETY NINE INDUSTRIAL SHARE CO.,LIMITED




Power bank information



1. Applied for iPhone, iPad, Mobile phones, GPS, PSP, MP3/MP4 and so on.
2. Small in size: 22 mm (diameter) * 94mm (length)
3. High capacity 2200mAh, Can charge iPhone for 1.2 times.
4. 1A High-current output. It can charging iPhone 70% fully or iPad 15% within one hour
5. The Power ON/ capacity display push button:
Push : Power ON/capacity display
Power Off : Auto turn off
6. Capacity indicated LED: 1pcs:
Orange/Blue LED
7. Input voltage/current of Micro USB port : 5V/0.5A
8. Output voltage/current of USB port : 5.2V/1A
9. Charging time: 5~6 hours.

NTN-4400 Power Bank



Electrical parameters:

- ◆Capacity: 4400MAH Polymer lithiumion battery
- ◆Height: 25MM
- ◆Width: 53MM
- ◆Thickness: 10.6MM
- ◆Weight: 167G
- ◆Charging interface: MICRO USB
- ◆Output voltage: 5V
- ◆Output current: 1A
- ◆Input voltage: 5V
- ◆Input current: 1A
- ◆Charging time: 5H

Main function:

- ◆Conform to the apple hardware test standard
- ◆Beautiful shell, Beautiful fashion .
- ◆Intelligent protection circuit, safe and reliable
- ◆Intelligent switch design, prolong the battery was ordered to, energy conservation and environmental protection
- ◆LED lights that accurate power, breathing slow flash show discharge status



1. 电源放电时，按键开关按一次即可放电（注：LED照明时，长按开关键5秒）；
2. 按一次开关时，四个指示灯会闪亮一下，然后相应的指示灯会亮一秒，输入充电时，指示灯会跑马灯样闪亮，放电时相应电量指示灯长亮；
3. 长按开关键5秒后，LED照明灯长亮，再按一次灯熄灭；
4. 通过USB充电线和适配转接头给数码产品充电；
5. 电量不足时，可通过电脑、AC适配器、车充等USB接口，用充电线配合Micro转接头供电。

给iPad2 充电



给HTC手机充电



给三星i9100充电



给MOTO手机充电



NTN-5000 Power Bank

Electrical:

◆Capacity: 5000MAH polymer lithium ion battery

◆Height: 99MM

◆Width: 55MM

◆Thickness: 15.6MM

◆Weight: 120G

◆Charging interfaces: MICRO USB

◆Output voltage: 5V

◆Output current: 1A

◆Input voltage: 5V

◆Input current: 800MAH

◆Charging time: 6H



Design:

The shell adopts metal plastic combined

4 walls metal pull slot, present a stereo feeling at the same time, also buffer visual impact, weakening the complex products。

The powerful made by cutting cover forming, glass textures, abrasion resistance blow, concise and agile, glittering and translucent and clever。

Main function:

◆Conform to the Apple hardware test standard,, Conform to the FCC, CE, CCC, Hardware certification。

◆0.5A - 1A, Output current ,

◆Three sets of built-in security。



NTN-999 iPhone4 Power Bank



Backup Battery Case for Iphone 4

The iphone 4 backup battery case is the world's thinnest and lightest rechargeable battery concealed inside of the protective form-fitting case for the iphone 4 .It offers you the full protection of a hard-shell case while providing virtually twice the battery life of the iphone 4 alone

- 1.Talk time:up to 5.25 hours on 3G
- 2.Internet use:up to 4.5 hours on 3G
- 3.Audio playback:up to 30 hours
- 4.Video playback:up to 7.5 hours

Compatible with iphone 4

Features

- Combines a battery and case
- Charge and sync in the case
- Lightweight low-profile design
- Charge iPhone and extra battery simultaneously
- Powerful, safe battery cell
- Four-LED battery charge status and charge progress indicator

Specification

- Input/output Voltage:5V
- Current output:500mAh
- Capacity:1400mAh
- Dimension:125(L)x61.6(W)x10(H)
- Weight:55g

NTN-998 iPhone4 Power Bank

Extends the
lifetime of your
iPhone4
Battery !



Features

Nearly Double Your Talk Time!

- Standby Time up to 290 extra hours
- Audio Time up to 40 extra hours
- Video Time up to 12 extra hours
- Talk Time (3G/2G)up to 8 /15 extra hours
- Internet Time up to 7.5 extra hours
- Wi-Fi time up to 12 extra hours

Features

- Superior and comfortable touch with round angle
- Cover with Aluminum shell ,with Rubber paint.
- Protective case with built-in battery
- Exclusive Top cover push up design in order to prevent the color distortion cause by color of the cover and avoid remnant shade
- Eliminates interference of your iPhone 's antenna
- Smart LED power indicator
- Good abrasion resistance, and corrosion resistance
- Extend your battery life!!!

Specifications

- Capacity:1600MAH Lithium Polymer
- Rated Input DC 5V, Max 500 mA
- Rated Output: DC 5V, 500 mA
- Dimensions: 125mm*61mm*16.5mm
- Weight:70g

Package Contents

- Battery Power Case
- Micro USB Cable
- User's Manual / quick start guide

NTN-76 Car charger

Design

Materials:

The Main metal element is zinc mixed with some alloy element ,which is used to improve the performance of zinc, Zinc alloy is mostly used in automobiles, high-grade mobile phone shell. Lighter and decoration field.

Today, it is applied in our products to make the product more durable and strong metal texture to give a solid thick visual sense.

Die-casting Processing:

Alloy shell processing: Firstly, product the mold apply to the product shape, Secondly, put the alloy melt injection into the mold, then be carefully processed by cooling, grinding, polishing, electroplating and other processes.

Color characteristics:

Feel cool, smooth, delicate, beautiful appearance, hard coating and not easy to fade.

Materials of panel decorative:

Made of the acrylic, Smooth surface and scratch resistant.



Electrical Parameters

- ◆Height :52mm
- ◆Width:36mm
- ◆Thickness:16.5mm
- ◆Weight:75g
- ◆Charging interface:USB
- ◆Output voltage:5V
- ◆Output current:500mah-2000mah(adaptive output)
- ◆Input voltage:12V
- ◆Input current: automotive standards
- ◆Input: car 12V universal socket



Apply to:

